

CHCP protection cover


enclosures

size “44.27”, “57.27”, “77.27”, “104.27”


for versions:

- C-TYPE IP65/IP66
- C7 IP67 stainless steel lever
- V-TYPE IP65/IP66 stainless steel lever
- BIG hoods
- W-TYPE for aggressive environments
- EMC
- 180 °C
- central lever
- LS-TYPE

dust protection cover



painting protection cover 2)



description

part No.

part No.

for housings and hoods with 1 or 2 levers, with 2 or 4 pegs

size “44.27”

size “57.27”

size “77.27”

size “104.27”


CHCP 06
CHCP 10
CHCP 16
CHCP 24

CHCP 10 V


1) Possibility of using cable ties to increase the retention of the insulating cover on the hood.

2) For housings and hoods with gasket only.

CHCP



CHCP 10 V






CGKCP - CGCP protection cover

for versions:
- IP68
size 21.21", "44.27", "57.27", "77.27", "104.27"

dust protection cover,
for housings



dust protection cover,
for hoods



| description | part No. | part No. |
|-------------|----------|----------|
|-------------|----------|----------|


for housings and hoods
size "21.21"
size "44.27"
size "57.27"
size "77.27"
size "104.27"

CGKCP FX
CGCP 06 FX
CGCP 10 FX
CGCP 16 FX
CGCP 24 FX


CGKCP MB
CGCP 06 MB
CGCP 10 MB
CGCP 16 MB
CGCP 24 MB

- 1) Possibility of using cable ties to increase the retention of the insulating cover on the hood.
- 2) Possibility to fix by screw:
- CGKCP FX: 2xM3
 - CGCP FX: 2xM6


CGKCP FX





CGCP FX



CGKCP MB



CGCP MB



CPT - CPES

inserts
size "104.27"
from page 412

temporary protection cover
for transportation



pliers for uncoupling connectors



| description | part No. | part No. |
|-------------|----------|----------|
|-------------|----------|----------|


for housings and hoods
with 1 or 2 levers, with 2 or 4 pegs ¹⁾
for housings and hoods
with 2 levers and 4 pegs

CPT 24


CPES

¹⁾ Cannot be used with T-TYPE series


CPT 24 for enclosures with 2 levers



CPT 24 for enclosures with 4 pegs



CPT 24 for enclosures with 1 lever



CPT 24 for enclosures with 2 pegs

